

# Subject Index

## A

Acetorphan 540  
 Acetylcholine 115, 379, 491  
 Adenosine 38, 417  
 Adjunctive behavior 103  
 Adrenaline 227  
 $\beta$ -Adrenergic receptors 24  
 Age-related changes 29  
 Aggressiveness 79  
 D-Ala<sup>2</sup>-D-Leu<sup>5</sup>-enkephalin 32  
 Alcohol 275, 412, 464  
 Alpha methyl-*p*-tyrosine 321  
 $\alpha_2$ -Adrenoceptor 428  
 Alzheimer's disease 347  
 Amitriptyline 197  
 Amphetamine 79, 172, 221, 232, 284, 306, 507  
 Amygdala 232, 259  
 Animal model 433  
 Animal models 421, 452  
 Animals 437  
 Anorexia 254  
 Antagonism 501  
 Anterograde amnesia 402  
 Antidepressant 141, 188  
 Antidepressant activity 97, 359  
 Antidepressant-response 347  
 Antimanic drug 188  
 Antipsychotic 350  
 Antipsychotic effect 1  
 Anxiety 14, 24, 84, 359, 452  
 Anxiogenic property 452  
 Anxiolytics 433  
 Apomorphine 79, 507, 545  
 Appetite 58  
 Ascorbate 284  
 Atropine 379  
 Atypical anxiolytic 332  
 Auditory evoked potentials 496  
 Autoreceptors 312  
 Autoshaping 267  
 Avoidance 227

## B

Behavior 64, 452  
 Behavioral effects 302, 496  
 Benzamide 350  
 Benzodiazepine 38, 103  
 Benzodiazepine cues 501  
 Benzodiazepine receptors 371  
 Benzodiazepines 386, 551  
 Beta-adrenergic receptor 141  
 Beta-carboline 103  
 Beta-CCE 452  
 Blood platelets 521  
 Body weight 536  
 Brain 471  
 Brain potentials 275  
 Brain uptake 386  
 Bremazocine 248  
 Bromocriptine 321  
 Bupivacaine 138  
 Buprenorphine 315, 484  
 Buspirone 8, 14, 433  
 Butyrophenones 46

## C

Caffeine 29, 64, 437  
 Caffeinism 437  
 Cannabinoids 206  
 Capsaicin  
 $\beta$ -Carbolines 491  
 Carbon monoxide 206  
 Catalepsy 46  
 CDP 551  
 Cebus monkeys 298  
 CGS 9896 332  
 Chewing 110  
 Chlordiazepoxide 433  
 Chlorimipramine 217  
 Chlorisondamine  
 Chlorpromazine 433  
 Choline 74  
 Chronic antidepressant treatment 193  
 Chronic dietary treatment 188  
 Chronic schizophrenia 237  
 Chronic treatment 259  
 Climbing behaviour 263  
 Clonidine 428  
 Clozapine Cue 115  
 Cocaine 119, 288  
 Codeine 315  
 Coffee 437  
 Compensatory reactions 161  
 Conditional discriminations 405  
 Conditioned fear 8  
 Conditioned place preference 221  
 Conditioned suppression 515  
 Conditioned suppression task 69  
 Conditioned taste aversion 532  
 Conditioning 412  
 Conflict 392  
 Conflict test 306  
 Continuous exposure 288  
 Convulsions 138, 392  
*m*-CPP 558  
 CRF 306  
 8-Cyclopropyltheophylline 417  
 Cynomolgus monkey 332

## D

DADL 336  
 Denervation 178  
 Depot neuroleptics 293, 421  
 Depression 147, 197, 347  
 Desensitization 312  
 Development 46  
 Diazepam 103, 133, 328, 402, 501  
<sup>3</sup>H-Dihydroalprenolol 141  
 1-(2,5-Dimethoxy-4-iodophenyl)-2-aminopropane 342  
 Discrimination learning 379  
 Discriminative stimulus effects 32  
 DMI 545  
 DOI 342  
 Domperidone 133  
 L-dopa 79  
 Dopamine 38, 79, 92, 133, 178, 232, 507  
 Dopamine agonists 263  
 Dopamine antagonist 350

Dopamine autoreceptors 545  
 Dopamine D-1 receptors 321  
 Dopamine D-2 receptors 321  
 Dopamine receptors 471  
 Dopamine synthesis 359  
 Drinking 58  
 Drug abuse 437  
 Drug cues 412  
 Drug dependence 437  
 Drug discrimination 115, 183, 206, 328  
 Drug effects 29  
 Drug self-administration 437  
 DSP-4 133  
 Dynorphin 336  
 Dynorphin A(1-13) 32  
 D1 vs D2 421

## E

Eating rate 545  
 Eating time 545  
 ECS 79  
 Edible and nonedible items 551  
 EKC 248, 336  
 Enkephalinase inhibition 540  
 Epinephrine 379  
 Estradiol 464  
 Ethanol 161, 392, 479  
 Ethanol preference 479  
 External inhibition 412

## F

Fawn-hooded 558  
 Fear 8, 14  
 Feeding 58, 110, 254, 342, 397  
 Fenfluramine 58, 397, 558  
 FG 7142 103, 452  
 Fixed-consecutive-number 405  
 Fluoxetine 141  
 Fluphenazine 237, 421  
 Fluphenazine decanoate 293  
 Flurazepam 386  
 Food consumption 536  
 Food ingestion 551  
 Food intake 217, 558  
 Forced swimming test 147  
 Forward locomotion 248  
 Frontal cortex 74

## G

GABA agonist 69  
 GABA antagonist 69  
 GABAergic neuronal system 69  
 GAG 298  
 Generalization 315, 501  
 Genetically selected rat lines 479  
 Genetics 428  
 Gepirone 8  
 Gerbil 365  
 Gerbils 328, 501  
 Grooming 110, 248  
 GVG 298

## H

Hallucinogens 213  
 Haloperidol 46, 133, 259, 284, 421, 507  
 Hangover 161  
 Heart rate 563, 566  
 Hexamethonium  
 High doses 237  
 5-HT sensitive 193  
 5-HT uptake 193, 521  
 5-HT<sub>2</sub> receptor 213  
 5-HT<sub>2</sub> receptors 342  
 Human 29, 437, 452  
 Human memory 496  
 Humans 206  
 Hydromorphone 484  
 6-Hydroxydopamine 133, 178  
 5-Hydroxytryptamine 431  
 5-Hydroxytryptophan 302  
 Hyperphagia 254, 336

## I

<sup>3</sup>H-imipramine 193  
<sup>3</sup>H-imipramine binding 521  
 Immobilization 217  
 In vitro receptor autoradiography 141  
 Information processing 126  
 Inhibitory avoidance 379  
 Intraperitoneal and intravenous administration 119  
 Intrathecal 8  
 Intraventricular infusion 284  
 Ipsapirone 14

## K

Ketanserin 302, 342  
 Kindling 259

## L

Learning 267  
 Lidocaine 138  
 Light/dark choice procedure 392  
 Lithium 92, 312, 428, 521  
 Locomotion 221, 392  
 Locomotor activity 428  
 Locomotor stimulation 321  
 Locus coeruleus  
 LSD 213  
 Lymphocytes 24  
 LY 53857 342

## M

Marijuana 206  
 Maturation 46  
*m*-Cholinoceptor density 74  
 Memory 21, 52, 69, 267, 379, 402, 491, 527  
 Met-enkephalin 188  
 Methadone 484  
 Methaqualone 126  
 Methylxanthines 38  
 Methysergide 302  
 Mice 97, 321, 428, 491  
 Microstructural analysis 545  
 Monkey 288  
 Monkeys 21

## Mood 206

Morphine 32, 172, 254, 336, 412, 433  
 Mouse 69, 392, 433  
 Mu-1 opioid binding site 336  
 Naloxonazine 336

## N

Naloxone 21, 172, 227, 336, 484, 540  
 Naltrexone 254  
 1-(1-naphthyl) piperazine 342  
 Neonate 64  
 Neuromodulator 38  
 Neurotransmitter 38  
 Nicotine 267, 468, 532, 536, 563, 566  
 Nonopioid analgesics 405  
 Nonsense syllables 52  
 Noradrenaline 133  
 Noradrenergic dysfunction 24  
 Nortriptyline 197  
 Novelty 221  
 1-NP 342  
 Nucleus accumbens 232

## O

8-OH DPAT 558  
 6-OHDA 232  
 8-OH-DPAT 14, 58, 84, 110, 178  
 Open field 248  
 Operant behavior 183  
 Opioid analgesics 405  
 Opioid peptides 32  
 Opioid receptor subtypes 32  
 Opioid receptor types 515  
 Opioid withdrawal 540  
 Oral effects 551  
 Oxytocin 496

## P

Palatability 58  
 Panic disorder 24  
 Paradoxical sleep deprivation 138  
 Parkinsonism 167  
 Partial reduction 242  
 Partial reinforcement extinction effect 371  
 Passive 227  
 Passive avoidance task 69  
 Pentazocine 315  
 Pentobarbital 433  
 Pentylene tetrazol 138, 183, 392  
 Perphenazine 46  
 PET 1, 471  
 Pharmacodynamics 1  
 Pharmacokinetics 237, 332, 386  
 Phenobarbitone 365  
 Phenothiazines 46  
 Phenylisopropylamines 213  
 Physical dependence 437  
 Pigeons 328, 405  
 Piracetam 74  
 Pituitary-adrenal axis 217  
 Place conditioning 119, 133  
 Plasma level 197  
 Plasma levels 293  
 Platelet membrane fluidity 347  
 Postweaning treatment 365  
 (+)-3PPP 328  
 Precipitated opioid withdrawal 484

Prepulse inhibition 507  
 Primary sensory afferents  
 Proactive inhibition 52  
 Prolactin 92  
 Psychogenetic selection 532  
 Psychomotor performance 29  
 Ptosis 46  
 Pup development 365

## Q

Quinpirole 263  
 Quipazine 302

## R

Raclopride 1, 471  
 Radioimmunoassay 64  
 Raphe 14, 178  
 Raphe nuclei 84  
 Rat 46, 58, 84, 103, 115, 119, 133, 161, 227, 232, 248, 254, 359, 402, 431, 545  
 Rats 110, 172, 267, 397, 417, 507, 532, 551  
 Reaction time 126  
 Rearing 248  
 Receptors 386  
 Reinforcer 437  
 REM sleep 79  
 Remoxipride 167  
 Reproduction 365  
 Reserpine 321  
 Resting 397  
 Restraint 221  
 Retention 227  
 Retrieval functions 527  
 Retroactive interference 402  
 Reward 119, 133, 221  
 Rhesus monkey 315  
 Roman High- and Low-Avoidance strains 532  
 Rotational behavior 178  
 Ro 11-3128 328, 501  
 RO 15-1788 103, 306, 371  
 Benzodiazepine receptors, 371  
 RO 15-4513 392  
 RU 24969 178, 359  
 R(-)-2,5-Dimethoxy-4-<sup>77</sup>Br-amphetamine 431  
 R 58735 52, 527

## S

Sabeluzole 52, 527  
 Saliva 64  
 Satiety 58, 397  
 Saturable tissue uptake 332  
 Schedule-induced polydipsia 103  
 Schizophrenia 1, 507  
 Scopolamine 491  
 Sedation 392  
 Seizure threshold 259  
 Selective reminding 527  
 Self-administration 232  
 Sensory gating 507  
 Serial learning 52  
 Serotonin 14, 84, 141, 178, 312  
 Serotonin synthesis 359  
 Sigma receptors 515  
 SIP 103

SKF38393 263, 321  
Sleep 417  
Smoking 563, 566  
Spontaneous alternation 491  
Squirrel monkeys 302  
Startle 8, 507  
Stereoisomers 471  
Stereotypy 79  
Stimulus control 405  
Stimulus effects 206  
Stress 84, 161, 217, 515, 545  
Stretched attend posture 433  
Subjective effects 206, 437, 563  
Subsensitive 558  
Substituted benzamides 167  
Sucrose preference 545

**T**

Tardive dyskinesia 167, 298, 421

Tea 437  
Tetramethylammonium  
 $\Delta^9$ -THC 328  
Thermoregulation 161  
THIP 298  
Tifluadom 248  
Tilidine 315  
Time course 566  
Tobacco withdrawal 242  
Tolerance 161, 412, 479, 563  
Total cessation 242  
Tricyclic antidepressants 217  
Triiodothyroacetic acid 97  
Triiodothyronine 97

**U**

U-50,488H 248

**V**

Validity 147  
Vasopressin 496  
Visual discrimination 172  
Visuospatial 275

**W**

Water consumption 536  
Withdrawal 437, 563, 566  
Women 464

**X**

Xylamidine 342

**Z**

Zuclopenthixol decanoate 293



